

DEFRO
home

50 YEARS
OF INNOVATION

CATALOGUE

Prestige
2026

FIREPLACE INSERTS
FREESTANDING **STOVES**



TABLE OF CONTENTS

ABOUT THE BRAND		
WELCOME TO THE WORLD OF DEFRO		4
FREEDOM OF DESIGN		10
TECHNOLOGY IN DETAIL		12
PRODUCT NAMES		14
FIREPLACES AIR-BURNING		
DEFRO HOME series	INTRA	18
	IMPULS	42
	NEST	52
	PORTAL	56
	VIS	60
CASSETTE FIREPLACE		
DEFRO HOME series	MODUL	66
FIREPLACES WITH A WATER JACKET		
DEFRO HOME series	RIVA	70
	NAVI	80
STOVES FREE-STANDING		
DEFRO HOME series	ORBIS	86
	SOLUM ORTI	88
	CERES	90
	ORION	92
	QUADROOM	94
	ADEO BRAS CUBE	96
	CUBEN	98
	SOLIS	100
STOVES FREE-STANDING WITH A WATER JACKET		
DEFRO HOME series	HYDROFIRE	104
KITCHENS WOOD-BURNING		
DEFRO HOME range	CULINA	108



OVER **30,000** m² OF FLOOR SPACE

8 PRODUCTION HALLS

3 LABORATORIES

3 OFFICE BUILDINGS


6 MAGAZINES

WELCOME TO THE WORLD OF **DEFRO**

A passion for innovation and modern technology gives rise to solutions that ensure comfort in your home every day. We are built on over 50 years of experience and expert knowledge.

This enables us to design appliances which not only delight with their aesthetics, but also bring reliable warmth, safety and peace of mind to everyday life for years to come.





DEFRO HOME fireplaces are manufactured using a sophisticated production process and the highest quality materials. We combine modern technology with refined design to create appliances that offer reliability, high efficiency and intuitive operation. We design every solution with user comfort and everyday convenience in mind.

We have been developing DEFRO for years, consistently investing in innovation, quality and modern technologies. As a result, we are now one of the leaders in the European market for heating appliances and ventilation systems, and our products have earned the trust of customers in many international markets.

Production takes place at one of the most state-of-the-art facilities in Europe. Our advanced machinery, in-house research and development centre, and a team of highly qualified specialists enable us to create solutions that meet the highest standards of quality, efficiency and environmental performance.

Over 50 years' experience, continuous technological development and attention to every detail ensure that DEFRO HOME products meet the contemporary needs of users. We design appliances with long-term, safe and reliable operation in mind, ensuring comfort and peace of mind for years to come.

Robert Dziubela

Hubert Dziubela





A SPACE FULL OF WARMTH

DEFRO HOME products are designed with sustainability in mind, combining eco-friendly technologies with modern design and ease of use. They enhance the aesthetics of any interior whilst ensuring maximum safety and everyday comfort.

Thanks to their precise construction and durable materials, our appliances create a cosy atmosphere at the very heart of the home. They are synonymous with reliability, allowing you to enjoy the magic of a cosy hearth for years to come.



Image generated
or modified by AI.

FREEDOM DESIGN

A wide range of glazing shapes and a variety of opening systems ensure the fireplace fits perfectly to any architectural vision. We create solutions that flexibly integrate into the space of your home, combining aesthetics with the highest level of functionality.

Type of glazing				
	simple	rightlateral BP	leftside BL	
				
	vis-à-vis T	three-sided C	three-sided U	
Opening mechanism				
	to the side	back to top G	double-sided TZ	
Version				
	COMPACT	SLIM	MINI	OPTI
Technical specifications				
	Rated power [kW]	Heating power range [kW]	Max. length of logs for the [mm]	
				
	Glass dimensions W x H [mm]	Device dimensions W x D x H [mm]		



HIGH-STORAGE CERAMITON

The ceramic material used in DEFRO combustion chambers effectively stores heat, thereby increasing the appliance's thermal efficiency. Available in two colour options, it combines high mechanical strength with the minimalist aesthetics of the firebox interior.



ERGONOMIC COOL&TOUCH HANDLE


A design feature developed with user safety in mind. The special perforated surface structure dissipates heat, ensuring the component remains cool and allowing for comfortable handling without the risk of burns.



DECOR BLACK LINE


This modern glass ceramic is finished with a precise screen-print. It lends the appliance a geometric purity of form and visually enlarges the view of the fire, fitting perfectly the requirements of contemporary interior design.

TECHNOLOGY IN DETAIL



INTEGRATED SERVICE HANDLE

A functional guillotine-style handle (lifts upwards). The handle's detachable design allows it to be completely concealed within the casing once the door is closed, leaving the front of the fireplace completely smooth and minimalist.



THE PERFECT UP MECHANISM

An advanced, silent firebox door lifting system. The mechanism we have developed guarantees exceptionally smooth movement and constant pressure on the seals, ensuring maximum airtightness of the combustion chamber and stability of the heating process.



PROTECTIVE COATING

The surface of the body is coated with a certified, two-component paint offering enhanced resistance to damage and high temperatures. Thanks to the factory thermal curing process in drying ovens, the coating is fully chemically stable right from the very first time the unit is switched on.

NAMES PRODUCT

The names of our products are structured according to a fixed pattern. This allows for easy identification of the unit’s key features, such as the series name, size, glazing type, opening system and version.

If the product name does not include a glazing type designation or an opening system designation, this indicates the standard version: single glazing with side opening.



FIREPLACES

AIR-BURNING



Image generated
or modified by AI.

SERIES

DEFRO HOME INTRA

				DEFRO HOME INTRA										
				XS			S			M		L	XL	I
					MINI 	COMPACT 		MINI 	SLIM 		MINI 			
Straight glazing 	side-opening 	x			x	x	x	x	x	x			x	
	top-opening G 	x			x		x	x		x	x		x	
	double-sided TZ opening 				x			x		x				
Left-hand sideglazing BL 	side-opening 		x		x	x	x	x	x				x	
	top-opening G 		x		x	x	x	x		x				
Right-hand sideglazing BP 	side-opening 		x		x	x	x	x	x					
	top-opening G 		x		x	x	x	x		x				
Three-sided glazing C 	side-opening 	x		x	x									
	top-opening G 	x			x			x						
Three-sided glazing U 	top-hung G 	x			x									

The wide range of **DEFRO HOME INTRA** models allows you to find the perfect fireplace to the style of your living room. You are free to choose from a variety of glazing options – from classic straight and corner designs to modern three-sided configurations or double-sided opening.

Thanks to the variety of sizes available, you can easily select a fireplace to suit the size of your room: from compact, shallow models designed for cosy interiors, to wide fireboxes that will become the centrepiece of a spacious living room.

SERIES

DEFRO HOME INTRA



DEFRO HOME
INTRA XS

FIREPLACES

AIR-BURNING



	DEFRO HOME INTRA XS*	DEFRO HOME INTRA I**
	8 kW	10 kW
	4.8–9.6 kW	6.0–12.0 kW
	350 mm	350 mm
	411×500 mm	420×644 mm
	510×521×1233 mm	508×514×1652 mm



	DEFRO HOME INTRA S*	DEFRO HOME INTRA S MINI*
	10 kW	10 kW
	6.0–12.0 kW	6.0–12.0 kW
	500 mm	500 mm
	581×500 mm	581×430 mm
	677×521×1425 mm	677×451×1425 mm

*OPTI version available
**Door closer – not available

Optional equipment:

- Ceramiton in black
- Accumulation Thermoblock
- Door closer
- Handle on the other side
- Double-glazed window
- Blende
- Handle in silver
- Light/dark ash pan cover

SERIES
DEFRO HOME **INTRAL**



DEFRO HOME
INTRAL

AI Image generated
or modified by AI.

FIREPLACES
AIR-BURNING



	DEFRO HOME INTRAL M	DEFRO HOME INTRAL M MINI
	12.8 kW	12.8 kW
	7.8–15.6 kW	7.7–15.4 kW
	700 mm	700 mm
	746×500 mm	746×430 mm
	844×521×1425 mm	844×451×1425 mm



	DEFRO HOME INTRAL L
	16 kW
	9.9–19.8 kW
	800 mm
	916×500 mm
	1012×521×1425 mm

Optional equipment:



Ceramiton
in black



Accumulation
Thermoblock



Blende



Handle
on the other side



Double-glazed
window



Handle
in silver




Light/dark
ash pan cover

SERIES
DEFRO HOME **INTRA**



DEFRO HOME
**INTRA XS BP
MINI**

FIREPLACES
AIR-BURNING





	DEFRO HOME INTRA XS BP/BL MINI*	DEFRO HOME INTRA I BL**	DEFRO HOME INTRA S BP/BL MINI*
	8 kW	10 kW	10 kW
	5.0–10.0 kW	6.0–12.0 kW	6.0–12.0 kW
	350 mm	350 mm	500 mm
	461×430 mm	408×644 mm	628×430 mm
	530×451×1233 mm	462×469×1464 mm	696×451×1425 mm



	DEFRO HOME INTRA S BP/BL*	DEFRO HOME INTRA M BP/BL MINI**	DEFRO HOME INTRA M BP/BL**
	10 kW	12.8 kW	12.8 kW
	6.0–12.0 kW	7.7–15.4 kW	7.8–15.6 kW
	500 mm	700 mm	700 mm
	698×500 mm	795×430 mm	868×500 mm
	767×521×1425 mm	862×412×1425 mm	933×521×1425 mm

*OPTI version available
**Door closer – not available

Optional equipment:



SERIES
DEFRO HOME **INTRA**



DEFRO HOME
INTRA S T

AI Image generated
or modified by AI.

FIREPLACES
AIR-BURNING



	DEFRO HOME INTRA S T	DEFRO HOME INTRA M T**
	10 kW	13 kW
	6.0–12.0 kW	7.8–15.6 kW
	500 mm	700 mm
	581×500 mm	746×500 mm
	686×598×1425 mm	855×598×1425 mm



	DEFRO HOME INTRA L T**
	16 kW
	9.9–19.8 kW
	850 mm
	916×500 mm
	1012×598×1425 mm

**Door closer – not available

Optional equipment:



Ceramiton
in black



Accumulation
Thermoblock



Door closer



Handle
on the other side



Double-glazed
window



Blende



Handle
in silver



Light/dark
ash pan cover

SERIES
DEFRO HOME **INTRA**



AI Image generated
or modified by AI.

DEFRO HOME
INTRAL TZ

FIREPLACES
AIR-BURNING



	DEFRO HOME INTRA S TZ	DEFRO HOME INTRA M TZ**
	10 kW	13 kW
	6.0–12.0 kW	7.8–15.6 kW
	500 mm	700 mm
	581×500 mm	916×500 mm
	677×645×1425 mm	844×645×1425 mm



	DEFRO HOME INTRAL TZ**
	16 kW
	9.9–19.8 kW
	850 mm
	916×500 mm
	1012×645×1425 mm

**Door closer – not available

Optional equipment:



Ceramiton
in black



Accumulation
Thermoblock



Door closer



Handle
on the other side



Double-glazed
window



Blende



Handle
in silver



Light/dark
ash pan cover

SERIES

DEFRO HOME INTRA



DEFRO HOME
INTRA XL G

FIREPLACES
AIR-BURNING



	DEFRO HOME INTRA XS G*	DEFRO HOME INTRA I G	DEFRO HOME INTRA S G*
	8 kW	10 kW	10 kW
	4.8–9.6 kW	6.0–12.0 kW	6.0–12.0 kW
	350 mm	350 mm	500 mm
	411×500 mm	420×644 mm	577×500 mm
	693×552×1452 mm	700×553×1652 mm	860×552×1452 mm



	DEFRO HOME INTRA M G	DEFRO HOME INTRA L G	DEFRO HOME INTRA XL G**
	12.8 kW	16 kW	22 kW
	7.8–15.6 kW	9.9–19.8 kW	13.2–26.4 kW
	700 mm	850 mm	850 mm
	744×500 mm	912×500 mm	1248×502 mm
	1027×552×1452 mm	1195×552×1452 mm	1531×552×1452 mm

*OPTI version available
**Double glazing – not available

Optional equipment:

- Ceramiton in black
- Accumulation Thermoblock
- Handle for a guillotine
- Double-glazed window
- Blende
- Handle in silver
- Light/dark ash pan cover

SERIES
DEFRO HOME **INTRA**



DEFRO HOME
INTRA L BP G



Image generated
or modified by AI.

FIREPLACES
AIR-BURNING



DEFRO HOME INTRA XS BP/BL G MINI	DEFRO HOME INTRA I BL G	DEFRO HOME INTRA S BP/BL G MINI*
8 kW	10 kW	10 kW
5.0–10.0 kW	6.0–12.0 kW	6.0–12.0 kW
350 mm	350 mm	500 mm
461×430 mm	412×644 mm	628×430 mm
626×539×1385 mm	577×578×1650 mm	793×539×1425 mm

DEFRO HOME INTRA S BP/BL G*	DEFRO HOME INTRA M BP/BL G	DEFRO HOME INTRA L BP/BL G
10 kW	12.8 kW	16 kW
6.0–12.0 kW	7.8–15.6 kW	9.6–19.2 kW
500 mm	700 mm	800 mm
698×500 mm	865×500 mm	1043×510 mm
862×607×1455 mm	1029×607×1455 mm	1179×607×1455 mm

*OPTI version available

Optional equipment:

- Ceramiton in black
- Accumulation Thermoblock
- Handle for a guillotine

- Light/dark ash pan cover
- Blende

SERIES
DEFRO HOME **INTRA**

<

SERIES
DEFRO HOME **INTRA**



DEFRO HOME
INTRAMCG

FIREPLACES
AIR-BURNING



	DEFRO HOME INTRA XS CG*
	8 kW
	4.8–9.6 kW
	350 mm
	596×508 mm
	674×610×1530 mm



	DEFRO HOME INTRASCG
	10 kW
	6.0–12.0 kW
	500 mm
	763×508 mm
	841×610×1530 mm



	DEFRO HOME INTRAMCG
	12.5 kW
	7.8–15.6 kW
	700 mm
	931×508 mm
	1009×610×1530 mm

*OPTI version available

Optional equipment:

- Ceramiton in black
- Handle for a guillotine
- Blende

- Handle in silver
- Light/dark ash pan cover
- Support frames

SERIES
DEFRO HOME **INTRA**



DEFRO HOME
INTRASUG

AI Image generated
or modified by AI.

FIREPLACES
AIR-BURNING



DEFRO HOME INTRA XS U G	
	10 kW
	6.0–12.0 kW
	430 mm
	467×429 mm
	874×580×1526 mm



DEFRO HOME INTRASUG	
	15 kW
	9.0–18.0 kW
	500 mm
	635×429 mm
	1027×580×1529 mm

Optional equipment:

- Ceramiton in black
- Handle in silver
- Handle for a guillotine
- Blende

- Light/dark ash pan cover
- Support frames

SERIES
DEFRO HOME **INTRA**



DEFRO HOME
INTRA S BL G
SLIM

AI Image generated
or modified by AI.

FIREPLACES
AIR-BURNING



	DEFRO HOME INTRA S SLIM*	DEFRO HOME INTRA S G SLIM*
6 kW	6 kW	6 kW
3.6-7.2 kW	3.6-7.2 kW	3.6-7.2 kW
250 mm	250 mm	250 mm
581x430 mm	577x430 mm	577x430 mm
677x366x1238 mm	895x396x1380 mm	895x396x1380 mm



	DEFRO HOME INTRA S BP/BL SLIM*/**	DEFRO HOME INTRA S BP/BL G SLIM*/**
6 kW	6 kW	6 kW
3.6-7.2 kW	3.6-7.2 kW	3.6-7.2 kW
250 mm	250 mm	250 mm
628x430 mm	628x373 mm	628x373 mm
696x366x1237 mm	793x464x1381 mm	793x464x1381 mm

*OPTI version available
**Doubleglazing – not available

Optional equipment:

- Ceramiton in black
- Double-glazed window
- Door closer
- Blende
- Door handle on the other side (straight pane only)
- Handle for a guillotine
- Handle in silver
- Light/dark ash pan cover

SERIES

DEFRO HOME IMPULS

				DEFRO HOME IMPULS		
				S	M	L
Straight glazing		side-opening		×	×	×
		top-opening G		×	×	×
Left-hand sideglazing BL		side-opening		×	×	×
		top-opening G		×	×	
Right-hand sideglazing BP		side-opening		×	×	×
		top-opening G		×	×	

The **DEFRO HOME IMPULS** range has been designed to harmoniously combine modern design with optimum heating efficiency. Thanks to its well-thought-out design and availability in three compact sizes (S, M, L), this range fits perfectly with the requirements of contemporary interiors. Choose freely between the classic straight glazing and the modern side-glazed variant (left or right), adapting the way the opening mechanism to suit your own habits and the aesthetics of your living room.

SERIES
DEFRO HOME **IMPULS**



AI Image generated
or modified by AI.

DEFRO HOME
IMPULS M

FIREPLACES
AIR-BURNING



DEFRO HOME IMPULS S*	
	8 kW
	4.8–9.6 kW
	550 mm
	623×417 mm
	719×401×1092 mm



DEFRO HOME IMPULS M**	
	9.5 kW
	6.0–12.0 kW
	650 mm
	723×417 mm
	819×401×1092 mm



DEFRO HOME IMPULS L**	
	11 kW
	7.2–14.4 kW
	750 mm
	826×419 mm
	918×401×1092 mm

*OPTI version available
** Door closer – not available

Optional equipment:

-  Ceramiton in black
-  Accumulation Thermoblock
-  Door closer

-  Handle on the other side
-  Blende

-  Handle in silver
-  Light/dark ash pan cover

SERIES
DEFRO HOME **IMPULS**

FIREPLACES
AIR-BURNING



DEFRO HOME IMPULS S BP/BL*	
	8 kW
	5.4–10.8 kW
	500 mm
	637×421 mm
	694×411×1092 mm



DEFRO HOME IMPULS M BP/BL**	
	9.5 kW
	6.0–12.0 kW
	600 mm
	739×421 mm
	795×411×1092 mm



DEFRO HOME IMPULS L BP/BL**	
	11 kW
	7.2–14.4 kW
	700 mm
	839×421 mm
	895×411×1092 mm

*OPTI version available
**Door closer – not available

Optional equipment:

-  Ceramiton in black
-  Accumulation Thermoblock
-  Door closer

-  Handle on the other side
-  Blende

-  Handle in silver
-  Light/dark ash pan cover

DEFRO HOME
IMPULS L BL

SERIES
DEFRO HOME **IMPULS**



DEFRO HOME
IMPULS M G

FIREPLACES
AIR-BURNING



DEFRO HOME IMPULS S G*	
	8 kW
	4.8–9.6 kW
	550 mm
	623×417 mm
	800×426×1330 mm



DEFRO HOME IMPULS M G	
	9 kW
	6.0–12.0 kW
	650 mm
	723×417 mm
	901×426×1330 mm



DEFRO HOME IMPULS L G	
	11 kW
	7.2–14.4 kW
	750 mm
	823×417 mm
	1001×462×1330 mm

*OPTI version available

Optional equipment:



Ceramiton
in black



Accumulation
Thermoblock



Handle
for a guillotine



Handle
on the other side



Blende



Handle
in silver



Light/dark
ash pan cover

SERIES
DEFRO HOME **IMPULS**



FIREPLACES
AIR-BURNING



	DEFRO HOME
	IMPULS S BP/BL G*
	8 kW
	5.4–10.8 kW
	500 mm
	647×430 mm
	821×501×1354 mm



	DEFRO HOME
	IMPULS M BP/BL G
	9.5 kW
	6.0–12.0 kW
	600 mm
	747×430 mm
	921×501×1354 mm

*OPTI version available

Optional equipment:

- Ceramiton in black
- Accumulation Thermoblock
- Handle for a guillotine

- Handle on the other side
- Blende

- Handle in silver
- Light/dark ash pan cover

Image generated or modified by AI.

DEFRO HOME
IMPULS S BL G

SERIES

DEFRO HOME NEST

				DEFRO HOME NEST	
				S	
Straight glazing		side-opening		x	
Left-hand sideglazing BL		side-opening		x	
Right-hand sideglazing BP		side-opening		x	

The **DEFRO HOME NEST** range has been designed with cosy interiors in mind, where every square centimetre counts. Available in the compact S size, it fits perfectly into smaller living spaces without compromising on excellent heating performance. The freedom to choose between a traditional straight insert and corner versions (left or right) allows for optimal use of space and the creation of an intimate, safe haven in your home.

SERIES
DEFRO HOME **NEST**



DEFRO HOME
NEST S

FIREPLACES
AIR-BURNING



DEFRO HOME NEST S	
	7 kW
	4.2–8.4 kW
	550 mm
	626×419 mm
	722×382×940 mm



DEFRO HOME NEST S BP/BL	
	7 kW
	4.2–8.4 kW
	500 mm
	636×421 mm
	671×392×940 mm

Optional equipment:

 Ceramiton
in black

 Door closer

 Handle on the other side
(single-pane glass only)

 Blende

SERIES

DEFRO HOME PORTAL

			DEFRO HOME PORTAL	
			M	
Straight glazing		side-opening		x
		top-opening G		x

The **DEFRO HOME PORTAL** range embodies minimalist design and advanced functionality. Designed in the optimal, versatile size M, it provides the ideal basis for modern interior designs as well as classic portal-style enclosures. The combination of traditional, simple glazing with a silent and convenient guillotine-style opening system ensures ensures maximum ease of use, making it a stylish and reliable centrepiece of the living room.

SERIES
DEFRO HOME **PORTAL**



DEFRO HOME
PORTAL M

AI Image generated
or modified by AI.

FIREPLACES
AIR-BURNING



	DEFRO HOME PORTAL M
	12 kW
	6.2–13.2 kW
	600 mm
	688×588 mm
	798×497×1244 mm



	DEFRO HOME PORTAL M G
	12 kW
	6.6–13.2 kW
	600 mm
	688×588 mm
	975×637×1354 mm

Optional equipment:



Black Line



Accumulation
Thermoblock



Handle
for a guillotine



Handle
on the other side



Double-glazed
window



Handle
in silver



Light/dark
ash pan cover

SERIES

DEFRO HOME **VIS**

DEFRO HOME VIS			
XSM			
6 C		9 S	
	MINI 		MINI 
Straight glazing 	side-opening 	×	×

The **DEFRO HOME VIS** range has been designed to maximise space-saving without compromising on design. Clean lines blend with a modern form.

SERIES
DEFRO HOME **VIS**



DEFRO HOME
VIS XSM 9 S

AI Image generated
or modified by AI.

FIREPLACES
AIR-BURNING



	DEFRO HOME VIS XSM 6 C	DEFRO HOME VIS XSM 9 S
	6 kW	9 kW
	3.6–7.2 kW	5.4–10.8 kW
	330 mm	330 mm
	375×550 mm	375×550 mm
	520×594×1174 mm	520×594×1450 mm



	DEFRO HOME VIS XSM 6 C MINI	DEFRO HOME VIS XSM 9 S MINI
	6 kW	9 kW
	3.6–7.2 kW	5.4–10.8 kW
	330 mm	330 mm
	375×500 mm	375×500 mm
	520×594×1174 mm	520×594×1450 mm

Optional equipment:

- Ceramiton in black
- Accumulation Thermoblock
- Door closer

- Handle on the other side
- Blende

- Handle in silver

CASSETTE FIREPLACE



Image generated
or modified by AI.

SERIES
DEFRO HOME **MODULE**



DEFRO HOME
MODULE M



Image generated
or modified by AI.

CASSETTE
FIREPLACE



DEFRO HOME MODULE M	
	10 kW
	6.0–12.0 kW
	700 mm
	751×489 mm
	804×483×556 mm

Optional equipment:



Ceramiton
in black



Door closer



Handle
on the other side



Blende



Handle
in silver

FIREPLACES WITH A WATER JACKET



Image generated
or modified by AI.

SERIES

DEFRO HOME RIVA

				DEFRO HOME RIVA		
				S SHORT	M SHORT	L SHORT
Straight glazing		side-opening		×	×	×
		top-opening G		×	×	×
Left-hand sideglazing BL		side-opening		×	×	×
		top-opening G		×	×	×
Right-hand sideglazing BP		side-opening		×	×	×
		top-opening G		×	×	×

The **DEFRO HOME RIVA** range is synonymous with design flexibility and modern comfort. This range offers as many as three different sizes (S, M, L), allowing you to perfectly match the unit’s capacity to the size of your living room. Depending on your needs, you can choose between classic straight glazing or modern corner variants (left and right).

All models in the RIVA range are fitted with a silent, advanced guillotine-style top-opening mechanism, which guarantees the utmost convenience in everyday use and a clean architectural design.

SERIES
DEFRO HOME **RIVA**



DEFRO HOME
RIVA M SHORT

AI Image generated
or modified by AI.

FIREPLACES
WITH A WATER JACKET



DEFRO HOME RIVA S SHORT	
	16 kW
	9.6–19.2 kW
	500 mm
	581×430 mm
	745×544×1431 mm



DEFRO HOME RIVA M SHORT**		DEFRO HOME RIVA L SHORT**	
	19 kW		22 kW
	11.4–22.8 kW		13.2–26.4 kW
	700 mm		850 mm
	746×430 mm		916×430 mm
	910×544×1431 mm		1080×544×1431 mm

**Door closer – not available

Optional equipment:



Ceramiton
in black



Door closer



Hhandle on the other side
(single-pane glass only)



Double glazing/
Triple glazing



Handle
in silver



Blende


SERIES
DEFRO HOME **RIVA**



DEFRO HOME
RIVA SBL SHORT

AI Image generated
or modified by AI.

FIREPLACES
WITH A WATER JACKET



DEFRO HOME RIVA S BP/BL SHORT	
	16 kW
	9.6–19.2 kW
	500 mm
	698×430 mm
	838×420×1436 mm



DEFRO HOME RIVA M BP/BL SHORT**	
	19 kW
	11.4–22.8 kW
	700 mm
	833×430 mm
	1003×420×1436 mm

** Door closer – not available

Optional equipment:

 Ceramiton
in black

 Door closer


 Handle on the other side
(single-pane glass only)

 Double glazing/
Triple glazing

 Handle
in silver

 Blende

SERIES
DEFRO HOME **RIVA**



DEFRO HOME
RIVA L G SHORT



Image generated
or modified by AI.

FIREPLACES
WITH A WATER JACKET



DEFRO HOME RIVA S G SHORT	
	16 kW
	9.6–19.2 kW
	500 mm
	581×428 mm
	966×575×1431 mm



DEFRO HOME RIVA M G SHORT	
	19 kW
	11.4–22.8 kW
	700 mm
	748×428 mm
	1133×575×1431 mm



DEFRO HOME RIVA L G SHORT	
	22 kW
	13.2–26.4 kW
	850 mm
	916×430 mm
	1301×575×1431 mm


Optional equipment:



Ceramiton
in black



Handle
for a guillotine



Handle on the other side
(single-pane glass only)



Double glazing/
Triple glazing



Handle
in silver



Blende


SERIES
DEFRO HOME **RIVA**



AI Image generated
or modified by AI.

DEFRO HOME
**RIVA M BL G
SHORT**

FIREPLACES
WITH A WATER JACKET



DEFRO HOME
RIVA S BP/BL G SHORT

	16 kW
	9.6–19.2 kW
	500 mm
	701×430 mm
	862×607×1436 mm



DEFRO HOME
RIVA M BP/BL G SHORT

	19 kW
	11.4–22.8 kW
	700 mm
	868×430 mm
	1029×607×1436 mm

Optional equipment:



Ceramiton
in black



Handle
for a guillotine



Handle on the other side
(single-pane glass only)



Double glazing/
Triple glazing



Handle
in silver



Blende

SERIES

DEFRO HOME NAVI

			DEFRO HOME NAVI		
			XSM	SM	ME
Straight glazing	side-opening		×	×	×
	top-opening G			×	×
	double-sided opening TZ			×	

The **DEFRO HOME NAVI** range **has been designed** with modern interiors in mind, where aesthetics goes hand in hand with comfort. Available in three matching sizes – XSM, SM and ME – it allows you to freely create a cosy corner in your home.

Alongside classic models with single-sided glazing, the NAVI range also offers solutions with double-sided opening and convenient rear wood loading. The exceptional convenience of everyday use in the SM and ME models is ensured by a silent – the lightness and smoothness of the door’s movement, which you feel every time you use it.

SERIES
DEFRO HOME **NAVI**



DEFRO HOME
NAVI SM TZ

FIREPLACES
WITH A WATER JACKET





	DEFRO HOME NAVI XSM	DEFRO HOME NAVI SM	DEFRO HOME NAVI ME**
	8.8 kW	14 kW	17 kW
	4.8–9.6 kW	8.4–16.8 kW	10.2–20.4 kW
	350 mm	500 mm	700 mm
	410×500 mm	581×500 mm	746×500 mm
	659×624×1349 mm	755×458×1353 mm	920×458×1353 mm



	DEFRO HOME NAVI SM TZ	DEFRO HOME NAVI SM G**	DEFRO HOME NAVI ME G**
	14 kW	14 kW	17 kW
	5.6–16.8 kW	8.4–16.8 kW	10.2–20.4 kW
	500 mm	500 mm	700 mm
	581×500 mm	581×500 mm	746×504 mm
	755×696×1518 mm	932×556×1435 mm	1089×556×1435 mm

** Door closer – not available

Optional equipment:



STOVES

FREE-STANDING



SERIES
DEFRO HOME **ORBIS**



DEFRO HOME
ORBIS TOP 2.0

AI Image generated
or modified by AI.

STOVES
FREE-STANDING



	DEFRO HOME ORBIS 2.0
	8 kW
	4.8–9.6 kW
	400 mm
	310×477 mm
	569×443×1192 mm



	DEFRO HOME ORBIS TOP 2.0
	8 kW
	4.8–9.6 kW
	400 mm
	310×477 mm
	569×481×1186 mm

	DEFRO HOME ORBIS PLS 2.0
	8 kW
	4.8–9.6 kW
	400 mm
	310×477 mm
	569×443×1477 mm

Optional equipment:



Ceramiton
in black



Door closer



A door handle
in a natural wood colour



A range of colours
of casing colours
to choose from

SERIES
DEFRO HOME
SOLUM | ORTI



DEFRO HOME
ORTI 2.0

AI Image generated
or modified by AI.

STOVES
FREE-STANDING



	DEFRO HOME SOLUM 2.0**	DEFRO HOME SOLUM TOP 2.0**
	8 kW	8 kW
	4.8–9.6 kW	4.8–9.6 kW
	400 mm	400 mm
	325×485 mm	325×485 mm
	568×375×1093 mm	568×375×1156 mm

**Silver-coloured door handle
- option available for the SOLUM range



	DEFRO HOME ORTI 2.0**
	8 kW
	4.8–9.6 kW
	400 mm
	310×477 mm
	540×419×1062 mm

**Door handle in a natural wood finish
- option available for the ORTI range

Optional equipment:



Ceramiton
in black



Door closer



Handle
in silver



A range of colours
of casing colours
to choose from



A door handle
in a natural wood colour

SERIES
DEFRO HOME CERES



DEFRO HOME
CERES 2.0

STOVES
FREE-STANDING



	DEFRO HOME CERES 2.0
	6 kW
	3.6–7.2 kW
	350 mm
	337×375 mm
	535×444×1022 mm



	DEFRO HOME CERES TOP 2.0
	6 kW
	3.6–7.2 kW
	350 mm
	337×375 mm
	535×444×993 mm



	DEFRO HOME CERES KRM 2.0
	6 kW
	3.6–7.2 kW
	350 mm
	337×375 mm
	596×476×1061 mm

Optional equipment:



Ceramiton
in black



Door closer



A door handle
in a natural wood colour



A range of colours
of casing colours
to choose from

SERIES
DEFRO HOME **ORION**

DEFRO HOME
ORION 2.0

STOVES
FREE-STANDING



	DEFRO HOME ORION 2.0	DEFRO HOME ORION KRM 2.0**
	6 kW	6 kW
	3.6–7.2 kW	3.6–7.2 kW
	400 mm	400 mm
	338×430 mm	338×430 mm
	545×504×1332 mm	552×485×1459 mm



	DEFRO HOME ORION PLS 2.0	DEFRO HOME ORION KRM PLS 2.0**
	6 kW	6 kW
	3.6–7.2 kW	3.6–7.2 kW
	400 mm	400 mm
	338×430 mm	338×430 mm
	545×504×1574 mm	552×485×1802 mm

**Ceramic lid – option available exclusively for the KRM version

Optional equipment:

Ceramiton
in black

Door closer

Handle
in black

Ceramic lid

A range of colours
of casing colours
to choose from

SERIES

DEFRO HOME

QUADROOM

DEFRO HOME
QUADROOM
LONG

AI Image generated
or modified by AI.

STOVES

FREE-STANDING



	DEFRO HOME QUADROOM 2.0
	9 kW
	5.4–10.8 kW
	400 mm
	406×386 mm
	474×505×1380 mm



	DEFRO HOME QUADROOM LONG
	8 kW
	4.8–9.6 kW
	400 mm
	354×490 mm
	450×450×1439 mm

Optional equipment:

- Ceramiton
in black
- Door closer

- Handle
in silver
- A range of colours
of casing colours
to choose from

SERIES
DEFRO HOME
ADEO | BRAS | CUBE



AI Image generated
or modified by AI.

DEFRO HOME
ADEO

STOVES
FREE-STANDING



	DEFRO HOME ADEO	DEFRO HOME BRAS
	6 kW	6 kW
	3.6–7.2 kW	3.6–7.2 kW
	300 mm	300 mm
	320×414 mm	318×415 mm
	461×356×1000 mm	426×342×1006 mm



	DEFRO HOME CUBE MINI 2.0
	6 kW
	3.6–7.2 kW
	350 mm
	320×300 mm
	506×330×1079 mm

Optional equipment:

- Ceramiton in black
- Door closer

A door handle in a natural wood colour

A range of colours of casing colours to choose from

SERIES
DEFRO HOME **CUBEN**



DEFRO HOME
CUBEN S WOOD

AI Image generated
or modified by AI.

STOVES
FREE-STANDING



DEFRO HOME CUBEN S	
	5.5 kW
	3.3–6.6 kW
	500 mm
	546×340 mm
	705×419×594 mm



DEFRO HOME CUBEN S WOOD	
	5.5 kW
	3.3–6.6 kW
	500 mm
	546×340 mm
	705×419×594 mm

Optional equipment:

 Ceramiton
in black

 Door closer

 A door handle
in a natural wood colour

 A range of colours
of casing colours
to choose from

SERIES
DEFRO HOME **SOLIS**



AI Image generated
or modified by AI.

STOVES
FREE-STANDING



	DEFRO HOME SOLIS
	5 kW
	3.0–6.0 kW
	250 mm
	220×505 mm
	440×400×1214 mm

Optional equipment:



Ceramiton
in black



Door closer



A door handle
in a natural wood colour



A range of colours
of casing colours
to choose from

STOVES FREE-STANDING WITH A WATER JACKET



Image generated
or modified by AI.

SERIES
DEFRO HOME **HYDROFIRE**



AI Image generated
or modified by AI.

DEFRO HOME
HYDROFIRE 2.0

**STOVES FREE-STANDING
WITH A WATER JACKET**



DEFRO HOME
HYDROFIRE 2.0

	9 kW
	5.4–10.8 kW
	300 mm
	325×485 mm
	575×511×1117 mm

Optional equipment:

Ceramiton
in black

Door closer

A door handle
in a natural wood colour

Triple - glazed pane

A range of colours
of casing colours
to choose from

KITCHENS

WOOD-BURNING



Image generated
or modified by AI.

SERIES
DEFRO HOME **CULINA**



DEFRO HOME
CULINA S 2.0

AI Image generated
or modified by AI.

KITCHENS
WOOD-BURNING



DEFRO HOME CULINA S 2.0	
	10.4 kW
	5.8–11.6 kW
	350 mm
	153×260 mm
	800×609×902 mm

Optional equipment:



Door closer



Handle
on the other side



Handle
in silver



Image generated
or modified by AI.



Image generated
or modified by AI.

GET 12 YEARS WARRANTY


Purchase, installation
and fitting by an Authorised
DEFRO Partner.



Find out more at defrohome.com

DEFRO
home

FIND THE PERFECT FIREPLACE FOR YOU



Find out more at defrohome.com



DEFRO

ONE PLACE, MANY SOLUTIONS

DEFRO is a Polish **manufacturer** of modern heating and ventilation systems. We combine **advanced technology** with a commitment for the environment to create systems that guarantee **maintenance-free comfort** and real **savings**.

1. PELLET BOILERS, **2.** LPG GAS HEATING, **3.** PLUMBING FITTINGS,
4. LPG TANKS, **5.** HEAT PUMPS, **6.** FIREPLACES, **7.** HEAT RECOVERY,
8. MODULAR PAVILIONS



AI Image generated
or modified by AI.

Manufacturer: DEFRO R. Dziubela limited partnership
26-067 Ruda Strawczyńska, ul. Powiatowa 111A,
KRS: 0000620901, NIP: 9591968493, REGON: 363378898
phone: 41 303 80 85, email: biuro@defro.pl

Current product prices are available from authorised DEFRO distributors or at authorised retail outlets. A list of authorised retail outlets can be found at www.defrohome.com. The illustrations, product dimensions and options shown in the catalogue are for reference only. **ENG 01/2026**