

DEFRO
home



FIREPLACE INSERTS
FREESTANDING STOVES

**WARMTH
OF HEART
AND HOME**



DEFRO is a company with over 50 years of history, deeply rooted in family tradition. Its origins date back to 1973 when Franciszek Dziubela established a small locksmith workshop. Over the course of half a century, DEFRO has experienced dynamic growth, manufacturing a diverse range of products, from concrete mixers to central heating boilers. Today, DEFRO is a Polish leader and one of the top producers of heating devices in Europe. The company is currently managed by two generations - Robert Dziubela and his son, Hubert Dziubela. Thanks to its rich history and immense dedication, the manufacturer is able to deliver high-quality heat pumps, central heating boilers, heat recovery units, fireplaces, LPG tanks, and advanced plumbing fittings. The DEFRO brand is synonymous with reliability and extensive experience. The strength of the company lies in tradition, family values, and the commitment of over 800 employees who constitute the unquestionable heart of the company. Each year, the factory produces nearly 45,000 high-quality devices.



DEFRO HOME FIREPLACES



When deciding whether to heat only the house or also provide hot water, it's important to choose a device with the right power and efficiency. To help you make this choice, visit the fireplace lounge, where specialists can recommend a device tailored to your needs. DEFRO devices are excellent for both heating systems.

A fireplace with hot air distribution is the simplest and most cost-effective way to heat an entire house. Its operation is straightforward; heated air is distributed to every room through a duct installation located under the ceiling. This system uses large-diameter, thermally insulated pipes, with special air supply grilles at the outlets. In smaller homes with three or four rooms, gravity distribution from automatic air circulation is typically sufficient. For larger buildings, a forced air system with a built-in fan is more efficient.

Another method of heating with wood involves using fireplaces with a water mantle, which features a water heat exchanger surrounding the combustion chamber. In this case, water heated in the mantle is distributed to the heating installation, which can include wall heaters or underfloor heating. A fireplace with a water mantle connected to the central heating system serves a similar function to a solid fuel device. However, this heating method has specific technical and safety requirements that must be met. To ensure flawless operation, hiring a certified installer is essential. With proper design and connection of the fireplace, you can benefit from a system that provides warmth throughout the house and delivers hot potable water.

If you prefer to install an elegant stove to locally heat a specific room, consider choosing one of the free-standing devices.



It is worth mentioning that what speaks in favor of heating with a fireplace is the fact that burning wood does not generate high costs and is therefore more economical. However, we must remember that the wood used for burning in the fireplace should have the appropriate humidity. That is why the seasoning process is so important, it should be carried out long enough and in the conditions intended for it. A properly dried wood burns well, gives off a lot of heat and does not smoke. Thus, it does not adversely affect the operation of the entire heating system. When it comes to the calorific value of a wood, it must be remembered that deciduous trees, such as oak or beech, burn best. Lime and birch also burn well, while conifers, due to the resin content, generate a lot of smoke and soot. If you have any doubts, DEFRO specialists will be happy to advise you and answer all your questions.

REMEMBER ABOUT ECOLOGY

From the beginning of 2022, it is extremely important fact that the European Union introduced the Ecodesign directives (also known as Ecodesign). The regulations were created in response to the growing air pollution and concern the efficiency and emissivity of installed heat sources. The point is that from the beginning of this year, only those with Ecodesign can be installed. Fireplaces are covered by these regulations, among others reasons, because in many cases they are used as an independent heat source for heating interiors during transitional periods. For this reason, it is very important to take into account the said certificate when purchasing your dream device.

The second thing to keep in mind is seasonal energy efficiency. This concept describes the efficiency of the fireplace, which is related to its energy efficiency. It is extremely important because the devices with the Ecodesign certificate must meet the required standards both when working with nominal power and with reduced power. Additionally, you should pay attention to the difference between general and seasonal efficiency - it is important that it is as low as possible.

Ecodesign imposes additional tasks on producers. It is mainly about placing the relevant information about the device in both the operating manual and the technical documentation. The customer should carefully check before the purchase whether the characteristics contain information about the Ecodesign certificate. All DEFRO devices meet the most stringent requirements and ensure the highest efficiency.



Straight glass

Defro Home
Intra XS

A+




nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	82,6 %
weight:	169 kg
dimensions:	460x1233x521

**

Defro Home
Intra S

A+




nominal power:	10 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,2 %
weight:	220 kg
dimensions:	677x1425x521

**

Defro Home
Intra M

A+



nominal power:	12,8 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,2 %
weight:	258 kg
dimensions:	844x1425x521

Defro Home
Intra L

A+



nominal power:	16 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,8 %
weight:	297 kg
dimensions:	1012x1425x521

Defro Home
Intra XS MINI


A+



nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	82,6 %
weight:	158 kg
dimensions:	510x1233x451

Defro Home
Intra S MINI

A+



nominal power:	10 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,2 %
weight:	208 kg
dimensions:	677x1425x451

**

Defro Home
Intra M MINI

A+



nominal power:	12,8 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,2 %
weight:	243 kg
dimensions:	884x1425x451

Defro Home
Intra L MINI


A+



nominal power:	16 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,8 %
weight:	280 kg
dimensions:	1012x1425x451

Defro Home
Intra XS BL/BP MINI

A+



nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	82,6 %
weight:	149 kg
dimensions:	530x1233x412

**

Side glass

* when 13% O₂

** also available in the OPTI version

Defro Home

Intra S BL/BP MINI

A+



nominal power:	10 kW
CO emission*:	≤1500 mg/m ³
efficiency:	81,2 %
weight:	198 kg
dimensions:	696x1425x412

**

Defro Home

Intra M BL/BP MINI

A+



nominal power:	12,8 kW
CO emission*:	≤1500 mg/m ³
efficiency:	81,2 %
weight:	234 kg
dimensions:	862x1425x412

**

Defro Home

Intra S BL/BP

A+



nominal power:	10 kW
CO emission*:	≤1500 mg/m ³
efficiency:	81,2 %
weight:	224 kg
dimensions:	767x1425x482

**

Defro Home

Intra M BL/BP

A+



nominal power:	12,8 kW
CO emission*:	≤1500 mg/m ³
efficiency:	81,2 %
weight:	262 kg
dimensions:	933x1425x482

Defro Home

Intra I BL




nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

**

Defro Home

Intra XS G

A+



nominal power:	8 kW
CO emission*:	≤1500 mg/m ³
efficiency:	82,6 %
weight:	209 kg
dimensions:	912x552x1425

**

Straight glass - guillotine

Defro Home

Intra S G

A+



nominal power:	10 kW
CO emission*:	≤1500 mg/m ³
efficiency:	81,2 %
weight:	269 kg
dimensions:	779x1425x552

**

Defro Home

Intra M G

A+



nominal power:	12,8 kW
CO emission*:	≤1500 mg/m ³
efficiency:	81,2 %
weight:	309 kg
dimensions:	946x1425x552

**

Defro Home

Intra L G

A+



nominal power:	16 kW
CO emission*:	≤1500 mg/m ³
efficiency:	84,8 %
weight:	356 kg
dimensions:	1114x1425x552

**

* when 13% O₂

** also available in the OPTI version

Defro Home
Intra XL G



AVAILABLE SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Side glass - guillotine

Defro Home
Intra XS BL/BP G MINI



A+

nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	82,6 %
weight:	203 kg
dimensions:	626x1385x539

**

Defro Home
Intra S BL/BP G MINI



A+

nominal power:	10 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,2 %
weight:	255 kg
dimensions:	793x1425x539

**

Defro Home
Intra S BL/BP G



A+

nominal power:	10 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,2 %
weight:	301 kg
dimensions:	862x1425x607

**

Defro Home
Intra M BL/BP G



A+

nominal power:	12,8 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,2 %
weight:	335 kg
dimensions:	1030x1437x607

Defro Home
Intra L BL/BP G



AVAILABLE SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-


Defro Home
Intra S T



AVAILABLE SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home
Intra M T



AVAILABLE SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home
Intra L T



AVAILABLE SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

**

* when 13% O₂
** also available in the OPTI version

Triple-pane

Defro Home
Intra XS C

A+



nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,6 %
weight:	160 kg
dimensions:	586x1272x480

**

Defro Home
Intra S C

A+



nominal power:	10 kW
CO emission*:	≤1 %
efficiency:	80,8 %
weight:	182 kg
dimensions:	753x1272x480

Triple-pane - guillotine

Defro Home
Intra XS C G

A+



nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,6 %
weight:	245 kg
dimensions:	674x1530x600

Defro Home
Intra S C G

A+



nominal power:	10 kW
CO emission*:	≤1500 mg/m³
efficiency:	80,8 %
weight:	303 kg
dimensions:	841x1530x600

Defro Home
Intra M C G

A+



nominal power:	12,5 kW
CO emission*:	≤1500 mg/m³
efficiency:	80,8 %
weight:	350 kg
dimensions:	1009x1530x600

Defro Home
Intra XS U G



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home
Intra S U G



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Straight glass

Defro Home
Intra S Slim



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

**

Side glass

Defro Home
Intra S BL/BP Slim



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

**

* when 13% O₂
** also available in the OPTI version

Straight glass - guillotine

Defro Home
Intra S G Slim



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

**

Side glass - guillotine

Defro Home
Intra S BL/BP G Slim



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

**

Straight glass

Defro Home
Impuls S

A+



nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,5 %
weight:	168 kg
dimensions:	719x1092x401

**

Defro Home
Impuls M

A+



nominal power:	9,5 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,5 %
weight:	193 kg
dimensions:	819x1092x401

Defro Home
Impuls L

A+



nominal power:	11 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,9 %
weight:	208 kg
dimensions:	918x1092x401

Straight glass

Defro Home
NEST S

A+



nominal power:	7 kW
CO emission*:	≤1500 mg/m³
efficiency:	82,8 %
weight:	140 kg
dimensions:	722x940x382

Defro Home
Impuls M BL/BP

A+



nominal power:	9,5 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,5 %
weight:	180 kg
dimensions:	795x1092x411

**

Side glass

Defro Home
NEST S BL/BP

A+



nominal power:	7 kW
CO emission*:	≤1500 mg/m³
efficiency:	82,8 %
weight:	127 kg
dimensions:	671x940x392

Side glass

Defro Home
Impuls S BL/BP

A+



nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,5 %
weight:	159 kg
dimensions:	694x1092x411

**

* when 13% O₂
** also available in the OPTI version

Defro Home
Impuls L BL/BP

A+



nominal power:	11 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,5 %
weight:	192 kg
dimensions:	895x1092x411

Straight glass - guillotine

Defro Home
Impuls S G

A+



nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,5 %
weight:	207 kg
dimensions:	800x1330x426

**

Defro Home
Impuls M G

A+



nominal power:	9,5 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,5 %
weight:	223 kg
dimensions:	901x1330x426

Defro Home
Impuls L G

A+



nominal power:	11 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,9 %
weight:	253 kg
dimensions:	1001x1330x411

Side glass - guillotine

Defro Home
Impuls S BL/BP G

A+



nominal power:	8 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,5 %
weight:	215 kg
dimensions:	821x1354x501

**

Defro Home
Impuls M BL/BP G

A+



nominal power:	9,5 kW
CO emission*:	≤1500 mg/m³
efficiency:	84,5 %
weight:	237 kg
dimensions:	921x1354x501

Defro Home
Vis XSM 6C

A+



nominal power:	6 kW
CO emission*:	≤1500 mg/m³
efficiency:	80,7 %
weight:	192 kg
dimensions:	520x1174x594

Straight glass

Defro Home
Vis XSM 9S

A+



nominal power:	9 kW
CO emission*:	≤1500 mg/m³
efficiency:	86,9 %
weight:	215 kg
dimensions:	520x1450x594

Defro Home
Vis XSM 9A

A+



nominal power:	9 kW
CO emission*:	≤1500 mg/m³
efficiency:	82,0 %
weight:	340 kg
dimensions:	475x1475x594

* when 13% O₂

** also available in the OPTI version

Stove insert Vis, Trig series, Air inserts - Modul M, Portal and inserts with water heat exchanger - Riva series

Defro Home
Vis XSM 9A COMPACT MINI

A+



nominal power:	9 kW
CO emission*:	≤1500 mg/m³
efficiency:	82,9 %
weight:	534 kg
dimensions:	599x1600x670

Defro Home
Trig XSM 9A COMPACT

A+



nominal power:	9 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,5 %
weight:	510 kg
dimensions:	532x1482x587

Defro Home
Modul M

A+



nominal power:	10 kW
CO emission*:	≤2000 mg/m³
efficiency:	85,1 %
weight:	150 kg
dimensions:	804x556x483

Straight glass

Defro Home
Portal M

A+



nominal power:	12 kW
CO emission*:	≤1500 mg/m³
efficiency:	80,5 %
weight:	240 kg
dimensions:	798x1244x497

Straight glass

Defro Home
Portal M G

A+



nominal power:	12 kW
CO emission*:	≤1500 mg/m³
efficiency:	80,5 %
weight:	293 kg
dimensions:	975x1354x637

Straight glass - guillotine

Defro Home
Riva S SHORT

A+



nominal power:	16 kW
water power:	8 kW
efficiency:	86,7 %
weight:	331 kg
dimensions:	745x1431x544

Straight glass

Defro Home
Riva M SHORT

A



nominal power:	19 kW
water power:	9 kW
efficiency:	80,1 %
weight:	374 kg
dimensions:	910x1431x544

Defro Home
Riva L SHORT

A



nominal power:	22 kW
water power:	12 kW
efficiency:	80,1 %
weight:	454 kg
dimensions:	1080x1431x544

Side glass

Defro Home
Riva S BL/BP SHORT

A+



nominal power:	16 kW
water power:	8 kW
efficiency:	86,7 %
weight:	348 kg
dimensions:	838x1436x420

* when 13% O₂

Defro Home
Riva M BL/BP SHORT



nominal power:	19 kW
water power:	9 kW
efficiency:	80,1 %
weight:	375 kg
dimensions:	1003x1436x420

Straight glass - guillotine

Defro Home
Riva S G SHORT



nominal power:	16 kW
water power:	8 kW
efficiency:	86,7 %
weight:	385 kg
dimensions:	996x1431x575

Defro Home
Riva M G SHORT



nominal power:	19 kW
water power:	9 kW
efficiency:	80,1 %
weight:	435 kg
dimensions:	1133x1431x575

Defro Home
Riva L G SHORT



nominal power:	22 kW
water power:	12 kW
efficiency:	80,1 %
weight:	505 kg
dimensions:	1301x1431x575

Side glass - guillotine

Defro Home
Riva S BL/BP G SHORT



nominal power:	16 kW
water power:	8 kW
efficiency:	86,7 %
weight:	392 kg
dimensions:	862x1436x607

Defro Home
Riva M BL/BP G SHORT



nominal power:	19 kW
water power:	9 kW
efficiency:	80,1 %
weight:	452 kg
dimensions:	1029x1436x607

Defro Home
Navi XSM



nominal power:	8,8 kW
water power:	5,0 kW
efficiency:	85,4 %
weight:	270 kg
dimensions:	659x1349x624

Straight glass

Defro Home
Navi SM



nominal power:	14 kW
water power:	10 kW
efficiency:	83,4 %
weight:	296 kg
dimensions:	630x1353x458

Defro Home
Navi ME



nominal power:	17 kW
water power:	10 kW
efficiency:	83,9 %
weight:	345 kg
dimensions:	795x1353x458

* when 13% O₂

Straight glass - guillotine

Defro Home

Navi SM G

A+



nominal power:	14 kW
water power:	10 kW
efficiency:	83,4 %
weight:	345 kg
dimensions:	779x1453x556

Defro Home

Navi ME G

A+



nominal power:	17 kW
water power:	10 kW
efficiency:	83,9 %
weight:	390 kg
dimensions:	1089x1435x556

Fireplace insert with rear wood load

Defro Home

Navi SM TZ

A+



nominal power:	14 kW
water power:	10 kW
efficiency:	83,4 %
weight:	296 kg
dimensions:	630x1353x458

FREESTANDING STOVES

Wood stoves

Defro Home

Orbis 2.0

AVAILABLE SOON



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home

Orbis Top 2.0

AVAILABLE SOON



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home

Ceres 2.0

AVAILABLE SOON



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home

Solum 2.0

AVAILABLE SOON



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home

Solum Top 2.0

AVAILABLE SOON



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home

Quadroom 2.0

AVAILABLE SOON



nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

* when 13% O₂

Defro Home
Quadroom Long

A+



nominal power:	9 kW
CO emission*:	≤ 1 %
efficiency:	80,4 %
weight:	165 kg
dimensions:	450x1400x450



Defro Home
Ceres Top 2.0



AVAILABLE
SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-



Defro Home
Ceres KRM 2.0



AVAILABLE
SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-



Defro Home
Intra XS C ver. Compact 1



AVAILABLE
SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home
Orbis PLS 2.0



AVAILABLE
SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-



Defro Home
Cube Mini 2.0



AVAILABLE
SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Defro Home
Orion 2.0



AVAILABLE
SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-



Defro Home
Cuben S

A+



nominal power:	5,5 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,1 %
weight:	200 kg
dimensions:	705x594x419

Defro Home
Cuben S Wood

A+



nominal power:	5,5 kW
CO emission*:	≤1500 mg/m³
efficiency:	81,1 %
weight:	200 kg
dimensions:	705x594x419

* when 13% O₂

Defro Home

AdeoAVAILABLE
SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Kitchen-stove

Defro Home

Culina S 2.0AVAILABLE
SOON

nominal power:	-
CO emission*:	-
efficiency:	-
weight:	-
dimensions:	-

Water stoves

Defro Home

Hydrofire 2.0

A

nominal power:	9 kW
water power:	7,5 kW
efficiency:	84,3 %
weight:	205 kg
dimensions:	575x1117x562

* when 13% O₂**Frames for inserts with straight glass**

frame	Intra											Impuls					Vis
	XS	S	S MINI	M	L	XS G	S G	M G	L G	SSLIM	SSLIM G	S	M	L	S G	M G	6C, 9S, 9A
M30	-	-	-	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓	✓	✓
M30 sh.	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-
M30 deep	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-
M30 cor.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓

Frames for inserts with side glass

frame	Intra											Impuls			Portal	
	S BL/BP SLIM	XS BL/BP MINI	S BL/BP MINI	S BL/BP	M BL/BP	XS BL/BP MINI G	S BL/BP MINI G	S BL/BP G	M BL/BP G	S BL/BP G SLIM	I	S BL/BP	M BL/BP	L BL/BP	M	M G
M30	✓	-	-	-	-	-	-	-	-	✓	-	✓	✓	✓	-	✓
M30 sh.	-	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-	-	✓	-
M30 deep	-	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-	-	✓	-

Frames for inserts with water heat exchanger

frame	Riva										Navi					
	S SHORT	M SHORT	L SHORT	S G SHORT	M G SHORT	LG SHORT	S BL / BP SHORT	M BL / BP SHORT	S BL / BP G SHORT	M BL / BP G SHORT	XSM	SM	ME	SM G	ME G	SMT Z
M30 sh.	✓	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	✓	-	-	✓
M30 deep	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-

Frames for triple-pane

frame	Intra XS C	Intra XS U G	Intra S U G	Intra XS C G	Intra S C	Intra S C G	Intra M C G
M20 deep	✓	✓	✓	✓	✓	✓	✓

Additional equipment for freestanding stoves

model	Black ceramiton	Handle on the other side	Silver handle	Selfcloser	Third glass	Thermostat with STB valve	White color	Black color	Red color	Gold color	Grey color	Brown color	Wood finish
Defro Home Orbis / Orbis Top 2.0	✓	-	✓	✓	-	-	✓	standard	✓	✓	✓	✓	-
Defro Home Solum / Solum Top 2.0	✓	-	✓	✓	-	-	✓	standard	✓	✓	✓	✓	-
Defro Home Ceres / Ceres Top 2.0	✓	-	✓	✓	-	-	✓	standard	✓	✓	✓	✓	-
Defro Home Cuben S	✓	-	-	-	-	-	-	standard	-	-	-	-	✓
Defro Home Quadroom 2.0	✓	✓	✓	✓	-	-	✓	standard	✓	✓	✓	✓	-
Defro Home Quadroom Long	✓	✓	✓	✓	-	-	✓	standard	✓	✓	✓	✓	-
Defro Home Cube Mini 2.0	✓	-	✓	✓	-	-	✓	standard	-	-	-	-	-
Defro Home Orion 2.0	✓	-	✓	✓	-	-	✓	standard	-	-	-	-	-
Defro Home Orbis PLS 2.0	✓	-	✓	✓	-	-	✓	standard	✓	✓	✓	✓	-
Defro Home Hydrofire 2.0	✓	-	✓	✓	✓	✓	-	-	-	-	-	-	-

Thermoblock

model	Suggested rear kits	Suggested side kits	Accumulation kit	Kit for rear part of the equipment	Kit for side part of the equipment
Defro Home Intra XS	1	2	✓	✓	✓
Defro Home Intra S	2	2	✓	✓	✓
Defro Home Intra M	2	2	✓	✓	✓
Defro Home Intra L	3	2	✓	✓	✓
Defro Home Intra XS BP / BL MINI	1	1	✓	✓	✓
Defro Home Intra S BP / BL MINI	2	1	✓	✓	✓
Defro Home Intra S BP / BL	2	1	✓	✓	✓
Defro Home Intra M BP / BL	2	1	✓	✓	✓
Defro Home Intra S G	2	-	-	✓	-
Defro Home Intra M G	2	-	-	✓	-
Defro Home Intra L G	3	-	-	✓	-
Defro Home Intra XL G	4	-	-	✓	-
Defro Home Intra XS BP / BL MINI G	-	-	-	-	-
Defro Home Intra S BP / BL MINI G	1	-	-	✓	-
Defro Home Intra S BP / BL G	1	-	-	✓	-
Defro Home Intra M BP / BL G	1	-	-	✓	-
Defro Home Intra XS C	1	-	-	✓	-
Defro Home Intra S C	2	-	-	✓	-
Defro Home Intra S T	-	2	-	-	✓
Defro Home Intra M T	-	2	-	-	✓
Defro Home Intra L T	-	2	-	-	✓
Defro Home Intra S SLIM	2	-	-	✓	-
Defro Home Intra S BP / BL SLIM	1	-	-	✓	-
Defro Home Intra S BP / BL G SLIM	1	-	-	✓	-
Defro Home Intra S SLIM G	2	-	-	✓	-
Defro Home Impuls S	2	2	-	✓	✓
Defro Home Impuls M	2	2	-	✓	✓
Defro Home Impuls L	2	2	-	✓	✓
Defro Home Impuls S BP / BL	1	1	-	✓	✓
Defro Home Impuls M BP / BL	2	1	-	✓	✓
Defro Home Impuls L BP / BL	2	1	-	✓	✓
Defro Home Impuls S G	2	1	-	✓	✓
Defro Home Impuls M G	2	1	-	✓	✓
Defro Home Impuls L G	2	1	-	✓	✓
Defro Home Impuls S BP / BL G	1	-	-	✓	-
Defro Home Impuls M BP / BL G	1	-	-	✓	-

Additional equipment for inserts

model	Black ceramiton	Blackline overprint	Handle on the other side	Black handle	Handle - separate purchase	Ash Pan	Ceramic ash pan	Double glass	Removable handle for guillotines	Removable handle for guillotines - separate purchase	Selfcloser
Defro Home Intra XS	✓	standard	✓	✓	✓	standard	✓	✓	-	-	-
Defro Home Intra S / SM G	✓	standard	✓ ¹	✓	✓	standard	✓	✓	✓	✓	-
Defro Home Intra S MINI	✓	standard	✓	✓	✓	standard	✓	✓	-	-	-
Defro Home Intra M / ME G	✓	standard	✓ ¹	✓	✓	standard	✓	✓	✓	✓	-
Defro Home Intra L / LA G	✓	standard	✓ ¹	✓	✓	standard	✓	✓	-	-	-
Defro Home Intra XL G	✓	standard	-	✓	✓	standard	✓	✓	✓	✓	-
Defro Home Intra XS BL / BP MINI	✓	standard	✓	✓	✓	standard	✓	-	-	-	-
Defro Home Intra S BL / BP MINI	✓	standard	✓	✓	✓	standard	✓	-	-	-	-
Defro Home Intra S BL / BP	✓	standard	✓	✓	✓	standard	✓	-	-	-	-
Defro Home Intra M BL /BP	✓	standard	✓	✓	✓	standard	✓	-	-	-	-
Defro Home Intra XS BL / BP G MINI	✓	standard	-	✓	✓	standard	✓	-	✓	✓	-
Defro Home Intra S BL / BP G MINI	✓	standard	-	✓	✓	standard	✓	-	✓	✓	-
Defro Home Intra S BL / BP G	✓	standard	-	✓	✓	standard	✓	-	✓	✓	-
Defro Home Intra M BL / BP G	✓	standard	-	✓	✓	standard	✓	-	✓	✓	-
Defro Home Intra L BL / BP G	✓	standard	-	✓	-	standard	✓	-	✓	✓	-
Defro Home Intra XS C	✓	standard	✓	standard	✓	standard	✓	-	-	-	-
Defro Home Intra S C	✓	standard	✓	standard	✓	standard	✓	-	-	-	-
Defro Home Intra XS C ver. COMPACT 1	✓	standard	✓	standard	✓	standard	✓	-	-	-	-
Defro Home Intra XS C G	✓	standard	-	✓	✓	standard	✓	-	✓	✓	-
Defro Home Intra S C G	✓	standard	-	✓	✓	standard	✓	-	✓	✓	-
Defro Home Intra M C G	✓	standard	-	✓	✓	standard	✓	-	✓	✓	-
Defro Home Intra XS U G	✓	standard	-	✓	✓	standard	✓	-	-	-	-
Defro Home Intra S U G	✓	standard	-	✓	✓	standard	✓	-	✓	✓	-
Defro Home Intra S T	✓	standard	✓ ²	✓ ²	✓	standard	✓	✓ ²	-	-	-
Defro Home Intra M T	✓	standard	✓ ²	✓ ²	✓	standard	✓	✓ ²	-	-	-
Defro Home Intra L T	✓	standard	✓ ²	✓ ²	✓	standard	✓	✓ ²	-	-	-
Defro Home Intra S SLIM / SM G SLIM	✓	standard	✓ ¹	✓	✓	standard	-	✓	✓	✓	-
Defro Home Intra S BL SLIM / BP SLIM	✓	standard	✓	✓	✓	standard	-	-	-	-	-
Defro Home Intra S BL G / BP G SLIM	✓	standard	-	✓	✓	standard	-	-	✓	✓	-
Defro Home Intra I BL/BP	-	standard	✓	✓	✓	standard	-	-	-	-	-
Defro Home Impuls S / SM G	✓	✓	✓	-	✓	standard	✓	-	-	-	-
Defro Home Impuls M / ME G	✓	✓	✓	-	✓	standard	✓	-	-	-	-
Defro Home Nest S	✓	✓	✓	-	✓	standard	✓	-	-	-	-
Defro Home Impuls S BL / BP	✓	✓	✓	-	✓	standard	✓	-	-	-	-
Defro Home Impuls S BL / BP G	✓	-	✓	-	✓	standard	✓	-	✓	✓	-
Defro Home Impuls M BL / BP	✓	✓	✓	-	✓	standard	✓	-	-	-	-
Defro Home Impuls M BL / BP G	✓	-	✓	-	✓	standard	✓	-	✓	✓	-
Defro Home Impuls L	✓	✓	✓	-	✓	standard	✓	-	-	-	-
Defro Home Impuls L BL / BP	✓	✓	✓	-	✓	standard	✓	-	-	-	-
Defro Home Portal M	-	✓	✓	✓	✓	✓	standard	✓	-	-	-
Defro Home Portal M G	-	✓	-	✓	✓	✓	standard	✓	✓	✓	-
Defro Home Vis XSM 6C	-	-	-	✓	-	-	-	-	-	-	-
Defro Home Vis XSM 9S	-	-	-	✓	-	-	-	-	-	-	-
Defro Home Vis XSM 9A	-	-	-	✓	-	-	-	-	-	-	-
Defro Home Navi XSM	✓	-	✓ ¹	✓	✓	-	-	standard	-	-	-
Defro Home Navi SM / SM G	✓	standard	✓ ¹	✓	✓	standard	✓	✓	✓	✓	-
Defro Home Navi ME / ME G	✓	standard	✓ ¹	✓	✓	standard	✓	✓	✓	✓	-
Defro Home Riva S / S G SHORT	✓	standard	✓	✓	✓	standard	✓	✓	✓	✓	-
Defro Home Riva M / M G SHORT	✓	standard	✓	✓	✓	standard	✓	✓	✓	✓	-
Defro Home Riva L / L G SHORT	✓	standard	✓	✓	✓	standard	✓	✓	✓	✓	-
Defro Home Riva S BL / BP SHORT	✓	standard	✓	✓	✓	standard	✓	-	-	-	-
Defro Home Riva M BL / BP SHORT	✓	standard	✓	✓	✓	standard	✓	-	-	-	-
Defro Home Riva S BL / BP SHORT G	✓	standard	-	✓	✓	standard	✓	-	✓	✓	-

Minimal values for active field at inlet and outlet

Suggested values for active field at inlet and outlet			
Name	Power in kW	Minimum air inlet area in cm ²	Minimum air discharge area in cm ²
Defro Home Intra XS	8	400	560
Defro Home Intra S / S G / S T	10	500	700
Defro Home Intra M / M G / M T	12,8	640	896
Defro Home Intra L / L G / L T	16	800	1120
Defro Home Intra XS BL / BP MINI	8	400	560
Defro Home Intra S BL / BP MINI	10	500	700
Defro Home Intra S BL / BP	10	500	700
Defro Home Intra M BL / BP	12,8	640	896
Defro Home Intra XS BL / BP MINI G	8	400	560
Defro Home Intra S BL / BP MINI G	10	500	700
Defro Home Intra S BL / BP G	10	500	700
Defro Home Intra M BL / BP G	12,8	640	896
Defro Home Intra S C	10	500	700
Defro Home Intra XS C G	8	400	560
Defro Home Intra S C G	10	500	700
Defro Home Intra M C G	12,5	625	875
Defro Home Intra S SLIM / S G SLIM	6	300	420
Defro Home Intra S BL SLIM / BP SLIM	6	300	420
Defro Home Intra S BL G SLIM / BP G SLIM	6	300	420
Defro Home Impuls S	8	400	560
Defro Home Impuls M	9,5	475	665
Defro Home Impuls S BL / BP	8	400	560
Defro Home Impuls M BL / BP	9,5	475	665
Defro Home Portal M / ME G	12	600	840

Lufts/vents

Straight vents - size 80			
Name	Size	Index	Active area (cm ²)
DH Luft 200x90 (80)	200x90 (80)	DH/L/200x90(80)	84
DH Luft 480x90 (80)	480x90 (80)	DH/L/480x90(80)	210
DH Luft 650x90 (80)	650x90 (80)	DH/L/650x90(80)	292
DH Luft 810x90 (80)	810x90 (80)	DH/L/810x90(80)	370
DH Luft 980x90 (80)	980x90 (80)	DH/L/980x90(80)	442

Straight vents - size 120			
Name	Size	Index	Active area (cm ²)
DH Luft 200x90 (120)	200x90 (120)	DH/L/200x90(120)	92
DH Luft 480x90 (120)	480x90 (120)	DH/L/480x90(120)	321
DH Luft 650x90 (120)	650x90 (120)	DH/L/650x90(120)	322
DH Luft 810x90 (120)	810x90 (120)	DH/L/810x90(120)	408
DH Luft 980x90 (120)	980x90 (120)	DH/L/980x90(120)	499

Corner vents - size 80			
Name	Size	Index	Active area (cm ²)
DH Luft corner right 400x740x90 (80)	400x740x90 (80)	DH/L/NP/400x740x90(80)	462
DH Luft corner left 740x400x90 (80)	740x400x90 (80)	DH/L/NL/740x400x90(80)	462
DH Luft corner right 400x910x90 (80)	400x910x90 (80)	DH/L/NP/400x910x90(80)	544
DH Luft corner left 910x400x90 (80)	910x400x90 (80)	DH/L/NL/910x400x90(80)	544
DH Luft corner right 470x740x90 (80)	470x740x90 (80)	DH/L/NP/470x740x90(80)	496
DH Luft corner left 500x500x90 (80)	500x500x90 (80)	DH/L/NL/500x500x90(80)	436
DH Luft corner right 500x500x90 (80)	500x500x90 (80)	DH/L/NP/500x500x90(80)	436
DH Luft corner left 600x400x90 (80)	600x400x90 (80)	DH/L/NL/600x400x90(80)	436
DH Luft corner right 600x400x90 (80)	600x400x90 (80)	DH/L/NP/600x400x90(80)	436
DH Luft corner left 740x470x90 (80)	740x470x90 (80)	DH/L/NL/740x470x90(80)	496
DH Luft corner right 540x810x90 (80)	540x810x90 (80)	DH/L/NP/540x810x90(80)	564
DH Luft corner left 810x540x90 (80)	810x540x90 (80)	DH/L/NL/810x540x90(80)	564
DH Luft corner right 540x980x90 (80)	540x980x90 (80)	DH/L/NP/540x980x90(80)	646
DH Luft corner left 980x540x90 (80)	980x540x90 (80)	DH/L/NL/980x540x90(80)	646

Lufty narożne - rozmiar 120			
Name	Size	Index	Active area (cm ²)
DH Luft corner right 400x740x90 (120)	400x740x90 (120)	DH/L/NP/400x740x90(120)	515
DH Luft corner left 740x400x90 (120)	740x400x90 (120)	DH/L/NL/740x400x90(120)	515
DH Luft corner right 400x910x90 (120)	400x910x90 (120)	DH/L/NP/400x910x90(120)	615
DH Luft corner left 910x400x90 (120)	910x400x90 (120)	DH/L/NL/910x400x90(120)	615
DH Luft corner right 470x740x90 (120)	470x740x90 (120)	DH/L/NP/470x740x90(120)	556
DH Luft corner left 740x470x90 (120)	740x470x90 (120)	DH/L/NL/740x470x90(120)	556
DH Luft corner right 540x810x90 (120)	540x810x90 (120)	DH/L/NP/540x810x90(120)	638
DH Luft corner left 810x540x90 (120)	810x540x90 (120)	DH/L/NL/810x540x90(120)	638
DH Luft corner right 540x980x90 (120)	540x980x90 (120)	DH/L/NP/540x980x90(120)	737
DH Luft corner left 980x540x90 (120)	980x540x90 (120)	DH/L/NL/980x540x90(120)	737

This image shows a full page of blank graph paper. The grid consists of thin, light gray horizontal and vertical lines that intersect to form small squares across the entire page. There are no margins, text, or other markings present.

This image shows a full page of blank graph paper. The grid consists of thin, light gray horizontal and vertical lines that intersect to form small squares across the entire surface. There are no margins, text, or other markings on the paper.



Producent: DEFRO R. Dziubela spółka komandytowa,
26-067 Ruda Strawczyńska, ul. Powiatowa 111A,
KRS: 0000620901, NIP: 9591968493, REGON: 363378898
tel.: 41 303 80 85, e-mail: biuro@defro.pl

Current product prices are available at authorized DEFRO distributors or at authorized points of sale.

The list of authorized points of sale is available at www.defrohome.com

Visualizations, prices and dimensions of products in the catalog are illustrative.

ENG 01/2026